

AMENDMENTS TO THE DRAWINGS:

Responsive to the Examiner's requirement that corrected drawings in compliance with 37 CFR 1.121(d) be submitted, Applicants propose adding the legend --Prior Art-- to drawing figures 2A and 2B.

Applicants respectfully request approval.

REMARKS/ARGUMENT

Claims 12-18 are allowed.

Claims 2, 4, 6, 8, 9 and 11 stand objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. Claims 2, 4, 6, 8, 9 and 11 have been so amended. Accordingly, Claims 2, 4, 6, 8, 9 and 11 stand allowable.

Rejected Claims 3, 5, 7 and 10 have been amended to depend from allowable claims. Accordingly, Claims 3, 5, 7 and 10 stand allowable.

New Claims 19-23 have been added and depend from allowable claims. Accordingly, Claims 19-23 stand allowable.

Claims 4, 14 and 15 have been amended to overcome the objections.

Claims 12-18 stand allowed. Claims 2-11 and 19-23 stand allowable. Applicants respectfully request allowance of the application as the earliest possible date.

Respectfully submitted,



Ronald O. Neerings
Reg. No. 34,227
Attorney for Applicants


TEXAS INSTRUMENTS INCORPORATED
P.O. BOX 655474, M/S 3999
Dallas, Texas 75265
Phone: 972/917-5299
Fax: 972/917-4418

FIG. 1.



1/5

TI-32201



Prior Art

FIG. 2A

Generic Read Order (A ₀ A ₁ A ₂ A ₃)	Data Input Order (A ₀ A ₁ A ₂ A ₃)	New Write Address - Inverted Generic Read Order (A ₃ A ₂ A ₁ A ₀)
0	0	0
2	1	2
1	2	1
3	3	3
4	4	4
6	5	6
5	6	5
7	7	7
...
31	31	31

4800 or 7200 bps

Generic Read Order (A ₀ A ₁ A ₂ A ₃)	Data Input Order (A ₀ A ₁ A ₂ A ₃)	New Write Address - Inverted Generic Read Order (A ₃ A ₂ A ₁ A ₀)
0	0	0
4	1	2
1	2	4
5	3	6
2	4	1
6	5	3
3	6	5
7	7	7
...
31	31	31


2400 or 3600 bps

Generic Read Order (A ₀ A ₁ A ₂ A ₃)	Data Input Order (A ₀ A ₁ A ₂ A ₃)	New Write Address - Inverted Generic Read Order (A ₃ A ₂ A ₁ A ₀)
0	0	0
8	1	2
1	2	4
9	3	6
2	4	8
10	5	10
3	6	12
11	7	14
...
31	31	31

1800 or 1200 bps

Prior Art

FIG. 2B



Prior ART

FIG. 3

